



Product Service

CERTIFICATE

No. Z1A 016804 0123 Rev. 00

Holder of Certificate: **Provex Industrie s.r.l.**
Industriezone 10
39031 Bruneck BZ
ITALY

Certification Mark:



Product: **Sanitary items**
Sanitary handle
(no rehabilitation or medical products)

Tested according to: PPP 52018C:2019
AfPS GS 2019:01 PAK

With this certificate, in its capacity as a notified GS body, TÜV SÜD Product Service GmbH issues the GS Mark to the named certificate holder for the declared product with the named model designation in accordance with section 20 ProdSG (German Product Safety Act). The product meets the safety and health requirements of section 20 (3) ProdSG. The manufacturer is reminded of their obligations in accordance with section 24 ProdSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition, the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the Testing, Certification, Validation and Verification Regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: MEC-V200220012898C-000TR

Valid until: 2031-01-25

Date, 2026-01-26


(MAURIZIO LEONE)

CERTIFICATE

No. Z1A 016804 0123 Rev. 00

Model(s):

Animo/S200

0001SG*,0002SG*,0003SG*,0004SG*,0005SG*,
0006SG*,0010SG*,0011SG*,0012SG*,0015SG*,
0016SG*,0017SG*,0018SG*,0020SG*,0021SG*,
0023SG*,0025SG*,0026SG*,0030SG*,0031SG*,
0040SG*,0041SG*,0042SG*,0043SG*,0045SG*,
0046SG*,0047SG*,0048SG*,0277BG*,0278BG*,
0280BG*,0281BG*,0282BG*,0283BG*,0284BG*,
0285BG*,0286BG,0288BG,

0050SG*,0051SG*,0055SG*,0056SG*,0057SG*,
0059SG*,0060SG*,0061SG*,0062SG*,0064SG*,
0065SG*,0070SG*,0075SG*,0100SG*,0105SG*,
0110SG*,0142SG*,0147SG*,0242SG*,0247SG*,
2345SG*,2346SG*,2347SG*,2445SG*,2446SG*,
2447SG*,0270BG*,0271BG*,0272BG*,0273BG*,
0274BG*,0275BG,0276BG;

Serie 250

2001HG*,2002HG*,2003HG*,2011HG*,2012HG*,
2013HG*,2020HG*,2021HG*,2022HG*,2023HG*,
2024HG*,2025HG*,2026HG*,2030HG*,2031HG*,
2032HG*,2040HG*,2041HG*,2050HG*,2051HG*,
2052HG*,2060HG*,2070HG*,2072HG*,2080HG*,
2081HG*,2090HG*,2091HG*,2092HG*,2100HG*,
2101HG*,2102HG*,2103HG*,2110HG*,2111HG*,
2120HG*,2121HG*,2122HG*,2130HG*,2201HG*,
2202HG*,2203HG*,2211HG*,2212HG*,2213HG*,
2301HG*,2302HG*,2303HG*;

Serie 350

3501SG*,3502SG*,3503SG*,3504SG*,3506SG*,
3510SG*,3511SG*,3515SG*,3516SG*,3517SG*,
3518SG*,3531SG*,3540SG*,3541SG*,3550SG*,
3552SG*,3555SG*,3556SG*,3557SG*,3558SG*,
3590SG*;

CERTIFICATE

No. Z1A 016804 0123 Rev. 00

Parameters:

Serial		Description	Measure [mm]						Weight [kg]
			L1	L2	L3	L4	B	H	
animo	0001SG*	HOLDING HANDLE HORI. VERT. 450 WHI ANIMO	450				86	80	0,92
animo	0002SG*	HOLDING HANDLE HORIZ. VERT. 550 WHI ANIMO	550				86	80	1
animo	0003SG*	HOLDING HANDLE HORIZ. VERT. 650 WHI ANIMO	650				86	80	1
animo	0004SG*	HOLDING HANDLE HORIZ. VERT. 250 WHI ANIMO	250				86	80	0,7
animo	0005SG*	WALL HANDRAIL 1050 WHI ANIMO	1050				86	80	1,5
animo	0006SG*	WALL HANDRAIL 1150 WHI ANIMO	1150				86	80	1,6
animo	0010SG*	HOLDING HANDLE 145° 590-440 WHI ANIMO	590	440			86	80	1,5
animo	0011SG*	HOLDING HANDLE 145° 690-440 WHI ANIMO	690	440			86	80	1,5
animo	0012SG*	HOLDING HANDLE 145° 690-540 WHI ANIMO	690	540			86	80	2
animo	0015SG*	HOLDING HANDLE 90° A605-B455 WHI ANIMO	606	456			86	80	1,5
animo	0016SG*	HOLDING HANDLE 90° A705-B455 WHI ANIMO	706	456			86	80	1,5
animo	0017SG*	HOLDING HANDLE 90° A705-B555 WHI ANIMO	706	556			86	80	2
animo	0020SG*	WALL HANDRAIL VERT. 455-575-520 WHI ANIMO	456	576	520		86	80	1,93
animo	0021SG*	WALL HANDRAIL VERT.455-575-770 WHI ANIMO	556	576	770		86	80	2,17
animo	0023SG*	WALL HANDRAIL VERT.705-775-770 WHI ANIMO	705	775	770		86	80	2,5
animo	0025SG*	ORDIN. SHOWER HANDRAIL 670-670 WHI ANIMO	670	670			86	80	1,67
animo	0026SG*	ORDIN. SHOWER HANDRAIL 770-770 WHI ANIMO	770	770			86	80	1,82
animo	0030SG*	DOUB. SHOWER HANDRAIL 670-1170 WHI ANIMO	670	1170			86	80	2,21

CERTIFICATE

No. Z1A 016804 0123 Rev. 00

animo	0031SG*	DOUB. SHOWER HANDRAIL 770-1170 WHI ANIMO	770	1170			86	80	2,29
animo	0040SG*	WALL SUPPORT HANDLE 640 WHI ANIMO	640				640	161	2,4
animo	0041SG*	WALL SUPPORT HANDLE 740 WHI ANIMO	740				740	161	2,53
animo	0042SG*	WALL SUPPORT HAD. W. PAPER 640 WHI ANIMO	640				640	161	2,4
animo	0043SG*	WALL SUPPORT HAD. W. PAPER 740 WHI ANIMO	740				740	161	2,4
animo	0045SG*	SAFETY FOLDING HANDLE 640 WHI ANIMO	640				95	190	3,03
animo	0046SG*	SAFETY FOLDING HANDLE 740 WHI ANIMO	740				95	190	3,18
animo	0047SG*	SAFETY F.HANDLE W. PAPERH. 640 WHI ANIMO	640				95	332	3,03
animo	0048SG*	SAFETY F.HANDLE W. PAPERH. 740 WHI ANIMO	740				95	332	3,03
animo	0277BG*	PROFILE WITH GROOVE 150 WHI-WHI PRO MED	150				32	32	0,14
animo	0278BG*	PROFILE WITH GROOVE 250 WHI-WHI PRO MED	250				32	32	0,22
animo	0280BG*	PROFILE WITH GROOVE 350 WHI-WHI PRO MED	350				32	32	0,31
animo	0281BG*	PROFILE T. FINGER GROOVE 450 WHI S200	450				32	32	0,39
animo	0282BG*	PROFILE WITH GROOVE 500 WHI-WHI PRO MED	500				32	32	0,42
animo	0283BG*	PROFILE WITH GROOVE 550 WHI-WHI PRO MED	550				32	32	0,455
animo	0284BG*	PROFILE WITH GROOVE 600 WHI-WHI PRO MED	600				32	32	0,49
animo	0285BG*	PROFILE WITH GROOVE 700 WHI-WHI PRO MED	700				32	32	0,57
animo	0286BG*	PROFILE WITH GROOVE 900 WHI-WHI PRO MED	900				32	32	0,74
animo	0288BG*	PROFILE T. FINGER GROOVE 1100 WHI PRO MED	1100				32	32	0,913
s200	0001SG*	HOLDING HANDLE HORIZ.VERT.450 WHI S200	450				86	80	0,92

CERTIFICATE

No. Z1A 016804 0123 Rev. 00

s200	0002SG*	HOLDING HANDLE HORIZ.VERT.550 WHI S200	550				86	80	1
s200	0003SG*	HOLDING HANDLE HORIZ.VERT.650 WHI S200	650				86	80	1
s200	0004SG*	HOLDING HANDLE HORIZ.VERT.250 WHI S200	250				86	80	0,7
s200	0005SG*	WALL HANDRAIL 1050 WHI S200	1050				86	80	1,5
s200	0006SG*	WALL HANDRAIL 1150 WHI S200	1150				86	80	1,6
s200	0010SG*	HOLDING HANDLE 145° 590-440 WHI S200	590	440			86	80	1,5
s200	0011SG*	HOLDING HANDLE 145° 690-440 WHI S200	690	440			86	80	1,63
s200	0012SG*	HOLDING HANDLE 145° 690-540 WHI S200	690	540			86	80	1,7
s200	0015SG*	HOLDING HANDLE 90° A605-B455 WHI S200	606	456			86	80	1,5
s200	0016SG*	HOLDING HANDLE 90° A705-B455 WHI S200	706	456			86	80	1,5
s200	0017SG*	HOLDING HANDLE 90° A705-B555 WHI S200	706	556			86	80	2
s200	0018SG*	HOLDING HANDLE 90° A805-B605 WHI S200	806	606			86	80	2
s200	0020SG*	WALL HANDR.VERT.455- 575-520 WHI S200	456	576	520		86	80	1,93
s200	0021SG*	WALL HANDR.VERT.455- 575-770 WHI S200	456	576	770		86	80	2,17
s200	0025SG*	ORDIN.SHOWER HANDRAIL 670-670 WHI S200	670	670			86	80	1,67
s200	0026SG*	ORDIN.SHOWER HANDRAIL 770-770 WHI S200	770	770			86	80	1,82
s200	0030SG*	DOUB.SHOWER HANDRAIL 670-1170 WHI S200	670	1170			86	80	2,21
s200	0031SG*	DOUB.SHOWER HANDRAIL 770-1170 WHI S200	770	1170			86	80	2,29
s200	0040SG*	WALL SUPPORT HANDLE 640 WHI S200	640				640	161	2,4
s200	0041SG*	WALL SUPPORT HANDLE 740 WHI S200	740				740	161	2,53

CERTIFICATE

No. Z1A 016804 0123 Rev. 00

s200	0042SG*	WALL SUPPORT HAD.W. PAPER 640 WHI S200	640				640	161	2,4
s200	0043SG*	WALL SUPPORT HAD. W.PAPER 740 WHI S200	740				740	161	2,4
s200	0045SG*	SAFETY FOLDING HANDLE 640 WHI S200	640				95	332	3,03
s200	0046SG*	SAFETY FOLDING HANDLE 740 WHI S200	740				95	190	3,18
s200	0047SG*	SAFETY F.HANDLE W. PAPERH.640 WHI S200	640				95	332	3,03
s200	0048SG*	SAFETY F.HANDLE W.PAPERH. 740 WHI S200	740				95	332	3,03
s200	0050SG*	HOLD.HANDLE SHOWER HOLDER 800 WHI S200	800				86	80	1,5
s200	0051SG*	HOLD.HANDLE SHOWER HOLD. 1000 WHI S200	1000				86	80	1,8
s200	0055SG*	HANDLE 90°SHOWER HOL. 805-605 WHI S200	806	606			86	80	2,15
s200	0056SG*	HANDLE 90°SHOWER HOLD.1005-605 WHI S200	1006	606			86	80	2,45
s200	0057SG*	HANDLE 90°SHOWER HOLD.1005-705 WHI S200	1006	706			86	80	2,6
s200	0059SG*	HANDLE 90°SHOWER HOLD.1205-705 WHI S200	1206	706			86	80	2,9
s200	0060SG*	HANDRAIL SHOW.HOL.805- 575-520 WHI S200	806	576	520		86	80	2,65
s200	0061SG*	HANDRAIL SHO.HOL.1005-575- 520 WHI S200	1006	576	520		86	80	2,95
s200	0062SG*	HANDRAIL SHO.HOL 1005-575- 770 WHI S200	1006	576	770		86	80	3,1
s200	0064SG*	HANDRAIL SHO.HOL 1205-575- 770 WHI S200	1206	576	770		86	80	3,4
s200	0065SG*	PEDESTAL PROTECTOR 400- 250 WHI S200	400				250	80	1
s200	0070SG*	SUPPORT HANDLE 75*83 WHI S200	750	830			750	161	2,4
s200	0075SG*	WALL HANDR. 184*15,5 VERTIVAL WHI S200	1840				86	80	3,7
s200	0100SG*	HANDRAIL+SHOWERH.1175- 720-720 WHI S200	1175	720	720		86	80	3,4

CERTIFICATE

No. Z1A 016804 0123 Rev. 00

s200	0105SG*	HANDRAIL+SHOWERH.1175-1120-720 WHI S200	1175	1120	720		86	80	3,7
s200	0110SG*	HANDRAIL+SHOWERH. 1175-975 WHI S200	1175	975			86	80	3,4
s200	0142SG*	WALL SUPPORT HANDLE 850 WHI S200	850				850	161	3
s200	0147SG*	SAFETY FOLDING HANDLE 850 WHI S200	850				95	190	3,5
s200	0242SG*	WALL SUPPORT HAN.W.PAPER 850 WHI S200	850				850	161	3
s200	0247SG*	SAFETY F.HANDLE W.PAPERH. 850 WHI S200	850				95	332	3,5
s200	2345SG*	SAFETY FOLD.HANDLE W.SUPP. 640 WHI S200	640				95	332	4
s200	2346SG*	SAFETY FOLD.HANDLE W.SUPP. 740 WHI S200	740				95	332	4,2
s200	2347SG*	SAFETY FOLD.HANDLE W.SUPP. 850 WHI S200	840				95	332	4,2
s200	2445SG*	FOLDING HAND.W.PAPH.A.SUPP 640 WHI S200	640				95	332	4
s200	2446SG*	FOLDING HAND.W.PAPH.A.SUPP 740 WHI S200	740				95	332	4
s200	2447SG*	FOLDING HAND.W.PAPH.A.SUPP 840 WHI S200	840				95	332	4,5
s200/animo	0270BG*	ANGLE 90° WHI PROMED	90				86	80	0,2
s200/animo	0271BG*	ANGLE T WHI S200	100				86	80	0,2
s200/animo	0272BG*	ANGLE 145° WITH FOOT WHI S200	40	40			86	80	0,2
s200/animo	0273BG*	ANGLE 90° WITH FOOT WHI S200	56				86	80	0,2
s200/animo	0274BG*	CORNER 90° WHI S200	66				86	80	0,2
s200/animo	0275BG*	ANGLE T WITH FOOT WHI S200	50				86	80	0,2
s200/animo	0276BG*	EXTERIOR ANGLE 90° HORIZONTAL PROMED	165				86	80	0,92
s250	2001HG*	SAFETY FOLDING HANDLE A 650 MM WHI S250	650				100	278	3,55

CERTIFICATE

No. Z1A 016804 0123 Rev. 00

s250	2002HG*	SAFETY FOLDING HANDLE A 750 MM WHI S250	750				100	278	4
s250	2003HG*	SAFETY FOLDING HANDLE A 850 MM WHI S250	850				100	278	4,5
s250	2011HG*	SUPPORT HANDLE A 650 MM WHI S250	650				650	100	3,15
s250	2012HG*	SUPPORT HANDLE A 750 MM WHI S250	750				750	100	3,5
s250	2013HG*	SUPPORT HANDLE A 850 MM WHI S250	850				850	100	4
s250	2020HG*	HOLDING HANDLE A250 WHI S250	250				93	80	0,7
s250	2021HG*	HOLDING HANDLE A300 WHI S250	300				93	80	0,8
s250	2022HG*	HOLDING HANDLE A400 WHI S250	400				93	80	0,95
s250	2023HG*	HOLDING HANDLE A500 WHI S250	500				93	80	1
s250	2024HG*	HOLDING HANDLE A600 WHI S250	600				93	80	1,2
s250	2025HG*	HOLDING HANDLE A700 WHI S250	700				93	80	1,35
s250	2026HG*	HOLDING HANDLE A800 WHI S250	800				93	80	1,5
s250	2030HG*	HANDRAIL A1050 MM WHI S250	1050				93	80	1,5
s250	2031HG*	HANDRAIL A1150 MM WHI S250	1150				93	80	1,6
s250	2032HG*	HANDRAIL A1250 MM WHI S250	1250				93	80	1,7
s250	2040HG*	HOLDING HANDLE145° A425-B325 WHI S250	423	323			93	80	1,3
s250	2041HG*	HOLDING HANDLE145° A625-B425 WHI S250	623	423			93	80	1,6
s250	2050HG*	HOLDING HANDLE 90° A600-B350 WHI S250	600	350			93	80	1,6
s250	2051HG*	HOLDING HANDLE 90° A600-B450 WHI S250	600	450			93	80	1,7
s250	2052HG*	HOLDING HANDLE 90° A800-600 WHI S250	800	600			93	80	2

CERTIFICATE

No. Z1A 016804 0123 Rev. 00

s250	2060HG*	HANDRAIL A650-B570-C540 WHI S250	650	568		537	93	80	1,6
s250	2070HG*	HANDRAIL A725-B755 MM WHI S250	727	756		574	93	80	1,7
s250	2072HG*	HANDRAIL A905-B1075 MM WHI S250	1077	906			93	80	1,7
s250	2080HG*	HANDRAIL A755-B1180 MM WHI S250	756	1179			93	80	2,3
s250	2081HG*	HANDRAIL A905-B1180 MM WHI S250	906	1179			93	80	2,3
s250	2090HG*	HOLD.HANDLE W.SHOWER H. A600 MM WHI S250	600				93	80	1,2
s250	2091HG*	HOLD.HANDLE W.SHOWER H. A800 MM WHI S250	800				93	80	1,5
s250	2092HG*	HOLD.HANDLE W.SHOWER H. A1000 MM WHI S250	1000				93	80	1,8
s250	2100HG*	HOLDING HANDLE 90°W.SH.A1000-B450WHI S250	1000	450			93	80	2,45
s250	2101HG*	HOLDING HAND.90°W.SH.A1190- B450 WHI S250	1190	450			93	80	2,75
s250	2102HG*	HOLDING HAND.90°W.SH.A1190- B650 WHI S250	1190	650			93	80	3,05
s250	2110HG*	HANDRAIL SHO.HO.A1000- B570-C725 WHI S250	1000	568	727		93	80	3,4
s250	2111HG*	HANDRAIL SHO.HO.A1190- B710-C725 WHI S250	1189	708	727		93	80	4
s250	2120HG*	HANDRAIL W.SH. A1135B325C545D725 WHI S250	1135	325	543	727	93	80	3,1
s250	2121HG*	HANDRAIL W.SH. A1135B525C685D725 WHI S250	1135	525	683	727	93	80	3,25
s250	2122HG*	HANDRAIL W.SH. A1135B525C685D875 WHI S250	1135	525	683	877	93	80	3,25
s250	2130HG*	HANDRAIL W.SH. A1135- B425-C525 WHI S250	1135	425	525		93	80	3,4
s250	2201HG*	SAFETY FOLD.HANDLE W.PH.A650 MM WHI S250	650				100	332	3,75
s250	2202HG*	SAFETY FOLD.HANDLE W.PH.A750 MM WHI S250	750				100	332	4,2
s250	2203HG*	SAFETY FOLD.HANDLE W.PH.A850 MM WHI S250	850				100	332	4,7

CERTIFICATE

No. Z1A 016804 0123 Rev. 00

s250	2211HG*	SUPPORT HANDLE W.PH. A650 MM WHI S250	650				650	100	3,35
s250	2212HG*	SUPPORT HANDLE W.PH. A750 MM WHI S250	750				650	100	3,7
s250	2213HG*	SUPPORT HANDLE W.PH. A850 MM WHI S250	850				650	100	4,2
s250	2301HG*	SAFETY FOLD.HANDLE W.PH.A650 MM WHI S250	650				100	332	3,75
s250	2302HG*	SAFETY FOLD.HANDLE W.PH.A750 MM WHI S250	750				100	332	4,2
s250	2303HG*	SAFETY FOLD.HANDLE W.PH.A850 MM WHI S250	850				100	332	4,7
s250	2401HG*	SAFETY FOLD.HANDLE W.PH.A650 MM WHI S250	650				100	332	3,75
s250	2402HG*	SAFETY FOLD.HANDLE W.PH.A750 MM WHI S250	750				100	332	4,2
s250	2403HG*	SAFETY FOLD.HANDLE W.PH.A850 MM WHI S250	850				100	332	4,7
S350	3501SG*	HOLDING HANDLE D300 BLA S350	300				93	32	0,7
S350	3502SG*	HOLDING HANDLE D400 BLA S350	400				93	32	1,18
S350	3503SG*	HOLDING HANDLE D500 BLA S350	500				93	32	1,28
S350	3504SG*	HOLDING HANDLE D600 BLA S350	600				93	32	1,4
S350	3506SG*	HOLDING HANDLE D800 BLA S350	800				93	32	1,5
S350	3510SG*	HOLDING HANDLE D920 BLA S350	918				93	32	1,55
S350	3511SG*	HOLDING HANDLE D1120 BLA S350	1118				93	32	2,3
S350	3515SG*	HOLDING HANDLE 90° A600 B300 BLA S350	600	300			93	32	2,1
S350	3516SG*	HOLDING HANDLE 90° A700 B400 BLA S350	700	400			93	32	2,3
S350	3517SG*	HOLDING HANDLE 90° A800 B500 BLA S350	800	500			93	32	2,5
S350	3518SG*	HOLDING HANDLE 90° A900 B600 BLA S350	900	600			93	32	2,8

CERTIFICATE

No. Z1A 016804 0123 Rev. 00

S350	3531SG*	HANDRAIL W.SH. A1124B354C683D756 NER S350	1124	354	756		93	32	3,2
S350	3540SG*	HOLDING HANDLE 145° A422 B322 BLA S350	422	322			93	32	2,1
S350	3541SG*	HOLDING HANDLE 145° A622 B422 BLA S350	622	422			93	32	2,1
S350	3550SG*	HOLDING HANDLE W.SHOWER HOLDER D800 BLA S350	800				93	32	2
S350	3552SG*	HOLDING HANDLE W.SHOWER HOLDER D1000 BLA S350	1000				93	32	2,1
S350	3555SG*	HOLDING HANDLE 90° W.SHOWERHOLDER A1000 B500 BLA S350	1000	500			93	32	3,2
S350	3556SG*	HOLDING HANDLE 90° W.SHOWERHOLDER A1000 B700 BLA S350	1000	700			93	32	3,4
S350	3557SG*	HOLDING HANDLE 90° W.SHOWERHOLDER A1200 B500 BLA S350	1200	500			93	32	3,6
S350	3558SG*	HOLDING HANDLE 90° W.SHOWERHOLDER A1200 B700 BLA S350	1200	700			93	32	3,8
S350	3590SG*	HANDRAIL W.SH. A1124 B454 C554 NER S350	1124	454	554		93	32	3,2