

We, the company

PROVEX INDUSTRIE GmbH Industriezone Nord 10 I-39031 Bruneck (BZ)



declare on our own responsibility that

the shower enclosure range named MODULA

with the models: MF (front entry)

MV (front entry with pivot door)

ME (corner solution)

MR (different open space solutions) MX (different special solutions)

in the sizes (75 - 160 cm) with different profile and glass finishings.

meets all the provisions of the directive DIN EN 14428:2004 which apply to him.

Applied harmonized standards:

EN 12150-1:2000 EN ISO 2409 ISO 7599

ISO 7892:1988

Conformity assessment procedure:

Directives 96/578/EEC and enclosure III CE directive 01/596/CE.

Oswald Fischnaller

- Managing Director -

Bruneck, August 8th 2007



We, the company

PROVEX INDUSTRIE GmbH Industriezone Nord 10 I-39031 Bruneck (BZ)



declare on our own responsibility that

the shower enclosure range named FLAT

with the models: FN (front entry)

FB (side panel for bathtub)

FT (pivot door)
FW (side panel)
FI (in-Line solution)

FR (quadrant enclosure with 2 pivoting doors)

in the sizes (70 - 180 cm) with different profile and glass finishings.

meets all the provisions of the directive DIN EN 14428:2004 which apply to him.

Applied harmonized standards:

EN 12150-1:2000 EN ISO 2409 ISO 7599

ISO 7892:1988

Conformity assessment procedure:

Directives 96/578/EEC and enclosure III CE directive 01/596/CE.

P P O R X I ND U S TR I V S TR

Oswald Fischnaller

- Managing Director -

Bruneck, February 5th 2013



We, the company

PROVEX INDUSTRIE GmbH Industriezone Nord 10 I-39031 Bruneck (BZ)

declare on our own responsibility that

the shower enclosure range named IUNIX

with the models: IUN 1/2 (front entry)

IUB (side panel for bathtub)

IUP (saloon door)
IUT 1/2 (pivot door)

IUE (pivot door with in-line panel)

IUI 1/3 (in-Line solutions)

IUW (side panel)

in the sizes (65 - 181 cm) with different profile and glass finishings.

meets all the provisions of the directive DIN EN 14428:2004 which apply to him.

Applied harmonized standards:

EN 12150-1:2000 EN ISO 2409 ISO 7599 ISO 7892:1988

Conformity assessment procedure:

Directives 96/578/EEC and enclosure III CE directive 01/596/CE.

Pro X X I N D U S R I X B L C M B H - 1 S I 1-39031 BRUN CO I BRUN

Oswald Fischnaller

- Managing Director -

Bruneck, february 12th 2019



We, the company

PROVEX INDUSTRIE GmbH Industriezone Nord 10 I-39031 Bruneck (BZ)

declare on our own responsibility that

the shower enclosure range named X-LINE

with the models: XN (front entry)

XB (side panel for bathtub)

XP (saloon door) XT (pivot door) XE (pivot door)

XI-1 – XI-3 (In-Line solutions)

XW (side panel)

in the sizes (65 - 181 cm) with different profile and glass finishings.

meets all the provisions of the directive DIN EN 14428:2004 which apply to him.

Applied harmonized standards:

EN 12150-1:2000 EN ISO 2409 ISO 7599 ISO 7892:1988

Conformity assessment procedure:

Directives 96/578/EEC and enclosure III CE directive 01/596/CE.

INDUSTRIA SOME THE STATE OF THE

Oswald Fischnaller

- Managing Director -

Bruneck, april 2nd 2015



We, the company

PROVEX INDUSTRIE GmbH Industriezone Nord 10 I-39031 Bruneck (BZ)



declare on our own responsibility that

the shower enclosure range named E-LITE

with the models: EN (front entry)

EB (side panel for bathtub)

ET (pivot door)
EE (pivot door)
EW (side panel)

EI and EI-3 (in-Line solutions)

in the sizes (70 - 180 cm) with different profile and glass finishings.

meets all the provisions of the directive DIN EN 14428:2004 which apply to him.

Applied harmonized standards:

EN 12150-1:2000 EN ISO 2409 ISO 7599

ISO 7892:1988

Conformity assessment procedure:

Directives 96/578/EEC and enclosure III CE directive 01/596/CE.

Oswald Fischnaller - Managing Director -

Bruneck, March 5th 2022



We, the company

PROVEX INDUSTRIE GmbH Industriezone Nord 10 I-39031 Bruneck (BZ)



declare on our own responsibility that

the shower enclosure range named COMBI and COMBI FREE

with the models: CN + CF (front entry)

CB (side panel for bathtub)

CT (pivot door and corner entry) CW, CW-1, CW-5 (side panel) CE (pivot door and corner entry)

CI (in-Line solutions)

CR (quadrant enclosure with 2 pivoting doors)
CS (quadrant enclosure with 1 pivoting door)

CK-1 + CK-2 (bath screen)

CF-1 (walk-in screen)

in the sizes (75 - 180 cm) with different profile and glass finishings.

meets all the provisions of the directive DIN EN 14428:2004 which apply to him.

Applied harmonized standards:

EN 12150-1:2000

EN ISO 2409

ISO 7599 ISO 7892:1988

Conformity assessment procedure:

Directives 96/578/EEC and enclosure III CE directive 01/596/CE.

P P O X X I N D U S T R I V S C P O B Z R R N D U S T R I V S C P O B Z R R N D W O B Z R R N D W O B Z R R N D W O B Z R N D W

Oswald Fischnaller

- Managing Director -

Bruneck, January 10th 2011



We, the company

PROVEX INDUSTRIE GmbH Industriezone Nord 10 I-39031 Bruneck (BZ)

declare on our own responsibility that

the shower enclosure range named JOLLY

with the models: JN (front entry) and JN-2 (pivot door with fix panel)

JB and JB-1 (side panel for bathtub)

JI (in-Line with fix panel)
JP (double saloon door)

JW, JW-1, JW-5/8 and JD-6/8 (side panel)

JE und JE-2 (corner entry and corner entry with fix panel) JT und JT-2 (pivot door and pivot door with fix panel)

in the sizes (70 - 160 cm) with different profile and glass finishings.

meets all the provisions of the directive DIN EN 14428:2004 which apply to him.

Applied harmonized standards:

EN 12150-1:2000 EN ISO 2409 ISO 7599

ISO 7892:1988

Conformity assessment procedure:

Directives 96/578/EEC and enclosure III CE directive 01/596/CE.



Oswald Fischnaller

- Managing Director -

Bruneck, april 12th 2020



We, the company

PROVEX INDUSTRIE GmbH Industriezone Nord 10 I-39031 Bruneck (BZ)



declare on our own responsibility that

the shower enclosure range named VARIO

with the models: VN (front entry)

VB (side panel for bahttub)
VI (in-line pivot door)
VP (double saloon door)
VE and VT (pivot door)

VW (side panel)

VR (quadrant enclosure with 2 pivot doors)

VK (pivoting bath-screens)

in the sizes (70 - 120 cm) with different profile and glass finishings.

meets all the provisions of the directive DIN EN 14428:2004 which apply to him.

Applied harmonized standards:

EN 12150-1:2000 EN ISO 2409 ISO 7599

ISO 7892:1988

Conformity assessment procedure:

Directives 96/578/EEC and enclosure III CE directive 01/596/CE.

Protox INDUSTRIK BUSINDH 154 I-39031 BRUN COLENHACK (Nov. 82) Italy Zone Industr-Industrial Contro, 10 Tel. 0474 571 111 - 1x 0474 571 571

Oswald Fischnaller

- Managing Director -

Bruneck, March 5th 2022



We, the company

PROVEX INDUSTRIE GmbH Industriezone Nord 10 I-39031 Bruneck (BZ)



declare on our own responsibility that

the shower enclosure range named Look and Look FREE

with the models: LN, LN-2 and LF (front entrance)

LB (side panel for bathtub)

LT (pivot door)

LE (pivot door and bifold corner entry)

LP (saloon door) LW (side panel)

LR (quadrant shower enclosure with 2 doors)

LI and LI-3 (door with in-line panel) LK (pivoting doors for bathtub)

LU (bifold U-version)

in the sizes (70 - 120 cm) with different profile and glass finishings.

meets all the provisions of the directive DIN EN 14428:2004 which apply to him.

Applied harmonized standards:

EN 12150-1:2000 EN ISO 2409 ISO 7599

ISO 7892:1988

Conformity assessment procedure:

Directives 96/578/EEC and enclosure III CE directive 01/596/CE.

INDUSTRIA SUPERIOR DE LA SOCIAL DEL SOCIAL DE LA SOCIAL DEL SOCIAL DE LA SOCIAL DE LA SOCIAL DE LA SOCIAL DEL SOCIAL D

Oswald Fischnaller

- Managing Director -

Bruneck, February 28th 2022



We, the company

PROVEX INDUSTRIE GmbH Industriezone Nord 10 I-39031 Bruneck (BZ)

declare on our own responsibility that

the shower enclosure range named SOFT

with the models: NS (front entry)

WS (side panel)
AS (corner entry)

in the sizes (80 - 200 cm) with different profile and glass finishings.

meets all the provisions of the directive DIN EN 14428:2004 which apply to him.

Applied harmonized standards:

EN 12150-1:2000 EN ISO 2409

ISO 7599

ISO 7892:1988

Conformity assessment procedure:

Directives 96/578/EEC and enclosure III CE directive 01/596/CE.

Propagation of the state of the

Oswald Fischnaller

- Managing Director -

Bruneck, june 27th 2018



We, the company

PROVEX INDUSTRIE GmbH Industriezone Nord 10 I-39031 Bruneck (BZ)



declare on our own responsibility that

the shower enclosure range named S-LITE

with the models: SN (front entry)

SW (side panel and walk-in)

SI (in-line)

SK (corner entry) SR (quadrant)

in the sizes (70 - 140 cm) with different profile and glass finishings.

meets all the provisions of the directive DIN EN 14428:2004 which apply to him.

Applied harmonized standards:

EN 12150-1:2000

EN ISO 2409

ISO 7599

ISO 7892:1988

Conformity assessment procedure:

Directives 96/578/EEC and enclosure III CE directive 01/596/CE.

INDUSTRIC SUCCESSION OF A STATE OF THE STATE

Oswald Fischnaller

- Managing Director -

Bruneck, March 6th 2022



We, the company

PROVEX INDUSTRIE GmbH Industriezone Nord 10 I-39031 Bruneck (BZ)

declare on our own responsibility that

the shower enclosure range named TOGA

with the models: TN (front entry)

TW (side panel)
TC (corner entry)
TD (pivot doors)

in the sizes (80 - 160 cm) with different profile and glass finishings.

meets all the provisions of the directive DIN EN 14428:2004 which apply to him.

Applied harmonized standards:

EN 12150-1:2000

EN ISO 2409 ISO 7599

ISO 7892:1988

Conformity assessment procedure:

Directives 96/578/EEC and enclosure III CE directive 01/596/CE.

Oswald Fischnaller

- Managing Director -

Bruneck, march 25th 2022



We, the company

PROVEX INDUSTRIE GmbH Industriezone Nord 10 I-39031 Bruneck (BZ)



declare on our own responsibility that

the shower enclosure range named ARCO

with the models: AN (sliding door)

WD (side panel)
AE (corner entry)

AR (quadrant enclosure)

AB (Free standing sliding door)

in the sizes (70 - 140 cm) with different profile and glass finishings.

meets all the provisions of the directive DIN EN 14428:2004 which apply to him.

Applied harmonized standards:

EN 12150-1:2000 EN ISO 2409 ISO 7599

ISO 7892:1988

Conformity assessment procedure:

Directives 96/578/EEC and enclosure III CE directive 01/596/CE.

Oswald Fischnaller

- Managing Director -

Bruneck, April 24th 2018



We, the company

PROVEX INDUSTRIE GmbH Industriezone Nord 10 I-39031 Bruneck (BZ)



declare on our own responsibility that

the shower enclosure range named CLASSIC

with the models: FC (triple sliding door)

NC (double sliding door)

WC (side panel) EC (corner entry)

RC (quadrant enclosure)

BC (triple sliding bath tub fron entry)

PT (bathscreen)

in the sizes (70 - 180 cm) with different profile and glass finishings.

meets all the provisions of the directive DIN EN 14428:2004 which apply to him.

Applied harmonized standards:

EN 12150-1:2000 EN ISO 2409 ISO 7599

ISO 7892:1988

Conformity assessment procedure:

Directives 96/578/EEC and enclosure III CE directive 01/596/CE.

INDUSTRIC BLANCK (1998, 82) Hairy Zone Industrial Control, 10 Tel. 0474 571 571

Oswald Fischnaller

- Managing Director -

Bruneck, March 5th 2007